0818

① Assembled View

Use 2 People

Note: Do not assemble using power tools. This can cause the bolts to be overtightened

② Parts List

Parts in Box 1:

(A) Headboard Panel **x 1**

(B) Support Bar **x 2**

Parts in Box 2:

Extra Holes

(C) Headboard Panel **x 1**

(D) Footboard Panel **x 1**

(E) Side Rail **x 2**

(F) Long Support **x 1**

(G) Support Leg **x 3**

(H) Post **x 4**

(J) Support Panel **x 4**

(K) Set of Bed Slats **x 1**

3 **Hardware List**

1 M6 x 100mm JCB
x 3

2 M6 x 50mm JCB
x 16

3 M6 x 40mm JCB
x 28

4 M6 x 20mm JCB
x 8

5 M6 x 15mm JCB
x 4

6 M8 x 50mm JCB
x 8

7 Barrel Nut
x 3

8 Spring Washer
x 34

9 Flat Washer
x 34

10 Wood Screw
(M4 x 32mm) **x 12**

11 M4 Allen Key
x 1

12 M5 Allen Key
x 1

13 Center Rail
Bracket **x 2**

14 Adjustable
Foot **x 3**

4 **Fix the Adjustable foot to the bottom of the Support Leg (G).**

5 **Fit the Post (H) to the Support Panel (J).**

G

14

6

J

H

6 **Fit the Center Rail Bracket to the Headboard Panel (C).**

C

Extra Holes

5

13

5

Short Tab of
Metal Bracket (13)

0818

7 **Fit the Center Rail Bracket
to the Footboard Panel (D).**

D

5

13

5

Short Tab of
Metal Bracket (13)

8 **Bolt the Support Panel (H & J)
to the Side Rail (E).**

2

8

9

2

8

9

E

J

H

J

H

9

C

8

4

E

9 **Assemble the Side Rail (E) to the
Headboard & Footboard Rail (C & D).**

C

E

D

E

0818

10 Bolt the Support Panel (J) to the
Headboard & Footboard Rail (C & D).

11 Assemble the Support Bar (B) to the
Headboard Panel (C).

0818

**12** **Assembe the Headboard Panels (A) to the Support Bar (B).**

A

A
9
8
3
B

13 **Bolt the Long Support (F) to the Center Rail Brackets (13) on the Headboard & Footboard Panel (C & D).**

C
E
E
D

F
F
13
5

13
E
D

0818

14 Fit the first 3 Slats and assemble the
Support Leg (G) to the Bed Slat (K).
Bolt & screw the Bed Slats (K)
to the Side Rail (E) &
Long Support (F).

15 Fit the other Slats out
and assemble the
Support Leg (G) to
the Bed Slat (K). Bolt &
screw the Bed Slats (K)
to the Side Rail (E) &
Long Support (F).

16 **Fit the other Slats out and assemble the Support Leg (G) to the Bed Slat (K). Bolt & screw the Bed Slats (K) to the Side Rail (E) & Long Support (F).**

17 **Bolt & screw the remaining Bed Slats (K) to the Side Rail (E).**